

1971. Barber-James, H.M. & Gattolliat, J.L. (2012). How well are Afrotropical mayflies known? Status of current knowledge, practical applications, and future directions. *Inland Waters* 2: 1-9.
1972. Brassine, M.C. & Parker, D.M. (2012). Does the presence of large predators affect the diet of a mesopredator? *African Journal of Ecology* 50: 243-246.
1973. Coetzee, J.A. & Hill, M.P. (2012). The role of eutrophication in the biological control of water hyacinth, *Eichhornia crassipes*, in South Africa. *BioControl* 57: 247-261.
1974. Coetzee, J.A. (2012). Meteorological weather station data can be used in climate matching studies of biological control agents. *Biocontrol Science and Technology* 22(4): 419-427.
1975. Heshula, L.U.P. & Hill, M.P. (2012). Effect of previous feeding by *Falconia intermedia* (Hemiptera: Miridae) on subsequent feeding activity on the invasive shrub *Lantana camara* (Verbenaceae). *Biocontrol Science and Technology* 22(6): 671-684.
1976. Jauharlina, J., Lindquist, E.E., Quinnell, R.J., Robertson, H.G. & Compton, S.G. (2012). Fig wasps as vectors of mites and nematodes. *African Entomology* 20(1): 101-110.
1977. Pereira-da-Conceicao, L.L., Price, B.W., Barber-James, H.M., Barker, N.P., de Moor, F.C. & Villet, M.H. (2012). Cryptic variation in an ecological indicator organism: mitochondrial and nuclear DNA sequence data confirm distinct lineages of *Baetis harrisoni* Barnard (Ephemeroptera: Baetidae) in southern Africa. *BMC Evolutionary Biology* 12:26.
1978. Pinchuck, S.C. & Hodgson, A.N. (2012). Structure of the lateral pedal defensive glands on *Trimusculus costatus* (Gastropoda: Trimusculidae). *Journal of Molluscan Studies* 78: 44-51.
1979. Schaal, G., Riera, P. & Leroux, C. (2012). Food web structure within kelp holdfasts (*Laminaria*): a stable isotope study. *Marine Ecology* 33: 370-376.
1980. Vaudo, A.D., Ellis, J.D., Cambray, G.A. & Hill, M. (2012). The effects of land use on honey bee (*Apis mellifera*) population density and colony strength parameters in the Eastern Cape, South Africa. *Journal of Insect Conservation* 16:601-611.
1981. Weyl, P. & Hill, M.P. (2012). The effect of previous feeding on water hyacinth leaf acceptability by three water hyacinth biological control agents measured with a simple &-tube olfactometer. *African Entomology* 20(1): 201-205.
1982. Nakin M.D.V., Booth A.J. & McQuaid C.D. (2012). Species-specific effects of marine reserves: mortality and growth differ within and among heavily exploited and rarely exploited limpets. *Mar. Ecol. Prog. Ser.* 445: 53-63

1983. Weyl P.S.R. & Hill M.P. (2012). The effect of insect-insect interactions on the performance of three biological control agents released against water hyacinth. *Biocontrol Science and Technology*, Vol.22, No.8 August 2012, 883-897
1984. Paterson I.D, Hill M.P. & Downie D.A. (2012). The effect of host plant intraspecific genetic variation on the fitness of a monophagous biological control agent. *Biocontrol Science and Technology* 22(5): 513-525.
1985. Craig A.J.F.K., Bonnevie T.B. & Hulley P.E. (2012). Wing moult and sexual dimorphism in the Lesser Honeyguide *Indicator minor* in the Eastern Cape, South Africa. *Ostrich* 83(1): 59-61.
1986. Craig A.J.F.K. (2012). Seasonal distribution, breeding season and wing moult in the Splendid Glossy Starling *Lamprotornis splendidus*. *Ostrich* 83(1): 33-41
1987. Schapira M, McQuaid C.D, Froneman P.W. (2012). Free-living and particle-associated prokaryote metabolism in giant kelp forests: Implications for carbon flux in a sub-Antarctic coastal area. *Estuarine Coastal and Shelf Science* 106 (2012) 69-79
1988. Ludford A., Cole V.J., Porri F., McQuaid C.D., Nakin M.D.V. & Erlandsson J. (2012). Testing source-sink theory: the spill-over of mussel recruits beyond marine protected areas. *Landscape Ecol.* 27:859-868.
1989. Bromley C.L, Popplewell W.L., Pinchuck S.C., Hodgson A.N., & Davies-Coleman M.T. (2012) Polypropionates from the South African Marine Mollusk *Siphonaria oculus*. *Journal of Natural Products* 75: 497-501.
1990. Plon S, Albrecht K.H, Cliff G. & Froneman P.W. (2012). Organ weights of three dolphin species (*Sousa chinensis*, *Tursiops aduncus* and *Delphinus capensis*) from South Africa: implications for ecological adaptation? *J. Cetacean Res. Manage.* 12(2): 265-276.
1991. von der Meden C.E.O., Porri F., Radloff S. & McQuaid C.D. (2012). Settlement intensification and coastline topography: understanding the role of habitat availability in the pelagic-benthic transition. *Mar. Ecol. Prog. Ser.* 459: 63-71.
1992. Moseley C., Gremilet D., Connan M., Ryan P.G., Mullers R.H.E., van der Lingen C.D., Miller T.W., Coetzee J.C., Crawford R.J.M., Sabarros P., McQuaid C.D. & Pichegru, L. (2012). Foraging ecology and ecophysiology of Cape gannets from colonies in contrasting feeding environments. *Journal of experimental marine Biology and Ecology* 422-423:29-38.
1993. Hodgson, A.N., Dickens, J. (2012). Activity of the mangrove snail *Cerithidea decollate* (Gastropoda: Potamididae) in warm temperate South African estuary. *Estuary, Coastal and Shelf Science* 109:98-106.
1994. Cole V.J., McQuaid K.A. & McQuaid C.D. (2012). Examination of small- and large-scale influences on the diet of an omnivorous polychaete indicates weak effects of upwelling. *Journal of Experimental Marine Biology and Ecology* 436-437: 28-35.

1995. Barnes R.S.K, Ellwood M.D.F. (2012). Spatial variation in the microbenthic assemblages of intertidal seagrass along the axis of an estuary. *Estuary, Coastal and Shelf Science* 112: 173-182.
1996. Moore G.R. & Hill M.P. (2012) A quantitative post-release evaluation of biological control of water lettuce, *Pistia stratiotes* L. (Araceae) by the weevil *Neohydronomous affinis* Hustache (Coleoptera: Curculionidae) at Cape Recife Nature Reserve, Eastern Cape Province, South Africa. *African Entomology* 20(2): 380-385.
1997. Pineda M.C., McQuaid C.D., Turon X., Lopez-Legentil S., Ordonez V. & Ruis M. (2012) Tough adults, frail babies: An analysis of stress sensitivity across early life-history stages of widely introduced marine invertebrates. *PLoS One* 7(10): e46672.
1998. Hill M.P., Coetzee J.A. & Ueckermann C. (2012) Toxic effect of herbicides used for water hyacinth control on two insects released for its biological control in South Africa. *Biocontrol Science and Technology* 22(11): 1321-1333.
1999. Wieters E.A., McQuaid C., Palomo G., Pappalardo P. & Navarrete S.A. (2012) Biogeographical boundaries, functional group structure and diversity of rocky shore communities along the Argentinean coast. *PLoS ONE* 7(11): e49725.
2000. Cole V.J., Johnson L.G. & McQuaid C.D. (2012) Effects of patch-size on populations of intertidal limpets, *Siphonaria* spp., in a linear landscape. *PLoS ONE* 7(12): e52076.
2001. Liversage K., Cole V.J., McQuaid C.D. & Coleman R.A. (2012) Intercontinental tests of the effects of habitat patch type on the distribution of chitons within and among patches in intertidal boulder field landscapes. *Marine Biology* 159: 2777-2786.
2002. Goble T.A., Costet L., Robene I., Nibouche S., Rutherford R.S., Conlong D.E. & Hill M.P. (2012) *Beauveria brongniartii* on white grubs attacking sugarcane in South Africa. *Journal of Invertebrate Pathology* 111: 225-236.
2003. Von der Meden C.E.O., Porri F. & McQuaid C.D. (2012) New estimates of early post-settlement mortality for intertidal mussels show no relationship with meso-scale coastline topographic features. *Marine Ecology Progress Series* 463: 193-204.
2004. Teske P.R., Papadopoulos I., Barker N.P. & McQuaid C.D. (2012) Mitochondrial DNA paradox: sex-specific genetic structure in a marine mussel – despite maternal inheritance and passive dispersal. *BMC Genetics* 13:45.
2005. Nicastro K.R., Zardi G.I., McQuaid C.D., Pearson G.A. & Serrao E.A. (2012) Love thy neighbor: group properties of gaping behavior in mussel aggregations. *PLoS ONE* 7(10): e47382.
2006. Ray P. & Hill M.P. (2012) Fungi associated with *Eichhornia crassipes* in South Africa and their pathogenicity under controlled conditions. *African Journal of Aquatic Science* 37(3): 323-331.

2007. McClanahan T.R. & Humphries A.T. (2012) Differential and slow life-history responses of fishes to coral reef closures. *Mar. Ecol. Prog. Ser.* 469: 121-131.
2008. Bulcao C. & Hodgson A.N. (2012) Activity and feeding of *Dotilla fenestrata* (Brachyura: Ocypodidae) in a warm, temperate South African estuary. *African Journal of Aquatic Science* 37(3): 333-338.
2009. Vaudo A.D., Ellis J.D., Cambray G.A. & Hill M. (2012) Honey bee (*Apis mellifera capensis*/*A.m. scutellata* hybrid) nesting behavior in the Eastern Cape, South Africa. *Insect. Soc.* 59: 323-331.
2010. Schapira M., McQuaid C.D. & Froneman P.W. (2012) Metabolism of free-living and particle-associated prokaryotes: consequences for carbon flux around a Southern Ocean archipelago. *Journal of Marine Systems* 90: 58-66.
2011. Hodgson A.N., Hodgson V. & Eckelbarger K.J. (2012) Structure and formation of the unusual sperm of *Patelloida latistrigata* (Mollusca: Patellogastropoda): implications for fertilization biology. *Biol. Bull.* 222: 118-127.
2012. Pereira-da-Conceicao L.L., Hill M.P. & Moore S.D. (2012). Development of a pre-oral, droplet-dose bioassay laboratory technique using a baculovirus for *Thaumatotibia leucotreta* (Lepidoptera: Tortricidae). *African Entomology* 20(1): 187-190.
2013. Hill J.M., Kaehler S. & Hill M.P. (2012). Baseline isotope data for *Spirodela* sp.: nutrient differentiation in aquatic systems. *Water Research* 46: 3552-3562.
2014. Bonnievie B.T., Connan M. & McQuaid C.D. (2012) Effects of re-breeding rates on population size estimation of biennial breeders: results from a model based on albatrosses. *Ibis* 154: 499-507.
2015. Jackson J.M., Rainville L., Roberts M.J., McQuaid C.D. & Lutjeharms J.R.E. (2012) Mesoscale biophysical interactions between the Agulhas Current and the Agulhas Bank, South Africa. *Cont. Shelf Res.* 49: 10-24.
2016. Price B.W., Xingyue L., de Moor F.C. & Villet M.H. (2012) A review of the alderfly genus *Leptosialis* Esben-Petersen (Megaloptera, Sialidae) with description of a new species from South Africa. *ZooKeys* 201: 27-41.
2017. Midgley J.M., Collett I.J. & Villet M.H. (2012) The distribution, habitat, diet and forensic significance of the scarab *Frankenbergerius forcipatus* (Harold, 1881) (Coleoptera: Scarabaeidae). *African Invertebrates* 53(2): 745-749.
2018. Kingu, H.J., Kuria S.K., Villet M.H., Mkhize J.N, Dhaffala A., & Iisa J.M. (2012) Cutaneous myiasis: Is *Lucilia cuprina* safe and acceptable for maggot debridement therapy? *Journal of Cosmetics, Dermatological Sciences and Applications* 2: 79-82.

2019. Kuria S.K. & Villet M.H. (2012) The role of ants and mammalian herbivores on the structure and composition of insect communities found on canopies of *Acacia drepanolobium*. *African Journal of Agricultural Research* 7(38): 5317-5331.
2020. Sheppard J.N., Whitfield A.K., Cowley P.D. & Hill J.M. (2012) Effects of altered estuarine submerged macrophyte bed cover on the omnivorous Cape stumpnose *Rhabdosargus holubi*. *Journal of Fish Biology* 80: 705-712.
2021. Ansorge I.J., Froneman P.W. & Dugaradoo J. (2012) The marine ecosystems of the Sub-Antarctic Prince Edward Islands. In: Cruzado A., (ed). *Marine ecosystems*, Intec. ISBN 97-953-307-430-5 pp 61-76
2022. Quan W-M, Humphries A.T., Shi L-Y & Chen Y-Q (2012) Determination of trophic transfer at a created intertidal oyster (*Crassostrea ariakensis*) reef in the Yangtze river estuary using stable isotope analyses. *Estuaries and Coasts* 35:109-120.
2023. Houdelier C., Hausberger M. & Craig A.J.F.K. (2012) Songs of two starling species: common traits versus adaptations to the social environment. *Naturwissenschaften* 99: 1051-1062.
2024. Bissett C., Bernard R.T.F. & Parker D.M. (2012) The response of lions (*Panthera leo*) to changes in prey abundance on an enclosed reserve in South Africa. *Acta Theriol* 57: 225-231.
2025. Kefi S., Berlow E.L., Wieters E.A., Navarrete S.A., Petchey O.L., Wood S.A., Boit A., Joppa L.N., Lafferty K.D., Williams R.J., Martinez N.D., Menge B.A., Blanchette C.A., Iles A.C. & Brose U. (2012) More than a meal ...integrating non-feeding interactions into food webs. *Ecology Letters* 15: 291-300.
2026. Wasserman R.J., Pereira da Conceicao L.L., Strydom N.A. & Weyl O.L.F. (2012) Diet of *Anguilla mossambica* (Teleostei, Anguillidae) elvers in the Sundays River, Eastern Cape, South Africa. *African Journal of Aquatic Science* 37(3): 347-349.
2027. Craig A.J.F.K. (2012) Regular moult-breeding overlap in the Pale-winged Starling *Onychognathus naboroupp*. *Ostrich* 83(3): 169-170.
2028. Gouws E.J., Malan D., Job N., Nieuwoudt H., Nel J., Dallas H. & Bellingan T. (2012) Freshwater ecosystems. In: Turner A.A., (ed). *Western Cape Province state of biodiversity 2012*. CapeNature Scientific Services, Stellenbosch. ISBN: 978-0-621-41407-3.
2029. Dalu T., Clegg B. & Nhiwatiwa T. (2012) Macroinvertebrate communities associated with littoral zone habitats and the influence of environmental factors in Malilangwe Reservoir, Zimbabwe. *Knowledge and Management of Aquatic Ecosystems* 406:06.
2030. Randall M., Pinchuck S.C. & Hodgson A.N. (2012) Structure of the scapulae of *Anyphops spenceri* (Arachnida: Selenopidae). *Microscopy Society of Southern Africa Proceedings* 42:46.

2031. Kok A.D., Parker D.M. & Barker N.P. (2012) Life on high: the diversity of small mammals at high altitude in South Africa. *Biodiversity and Conservation* 21(11): 2823-2843.
2032. Picard C.J., Villet M.H. & Wells J.D. (2012) Amplified fragment length polymorphism confirms reciprocal monophyly in *Chrysomya putoria* and *Chrysomya chloropyga*: a correction of reported shared mtDNA haplotypes. *Medical and Veterinary Entomology* 26: 116-119.
2033. Marinho M.A.T., Junqueira A.C.M., Paulo D.F., Esposito M.C., Villet M.H. & Azeredo-Espin A.M.L. (2012) Molecular phylogenetics of Oestroidea (Diptera: Calyptratae) with emphasis on Calliphoridae: Insights into the inter-familial relationships and additional evidence for paraphyly among blowflies. *Molecular Phylogenetics and Evolution* 65: 840-854.